G-Ext® Exterior Decorative Panels

GENTAS

a touch to life

www.**g-ext**.com.tr

EBC Panels G-Uv+ Panels

www.**g-ext**.com.tr





Endless possibilities...

G-Ext® exterior decorative panels brings compelling aesthetic and nearly limitless design possibilities to next-generation ar chitectural claddings. With its smooth, seamless and non-por ous surface, G-Ext® decorative panels are easy to clean and it takes longer for to accumulate dirt and thus they are easy to maintain.

With durability, longevity and safety

G-Ext® panels are very durable and resistant to mechanical or physical stress such as bending, impact, cracking and scratching without losing its ability to be easily processed with sizing, drilling and engraving tools. In addition, G-Ext® is highly durable to environmental exposure, such as

sunlight, heat, moisture and other atmospheric chemicals which ensures structural integrity and color stability.

When required, G-Ext® panels can be produced with enhanced fire retardant and fire resistant capabilities. When encountered with fire, the material does not enflame easily and no melting, burning droplets, explosion, or toxic gas emissions happens during fire exposure.

Without compromise on health and environment.

None of our surface materials contain highly toxic substances such as asbestos and chlorine and all production is highly regulated and constantly audited in order to maintain accordance to most current European regulations on emissions.



Water Repellant

Low Light

Reflectivity



Easy To



Clean



Chemical Resistance



Dry Heat Resistance



Heat & Cold Resistance



Scratch & Abrasion Resistance



Impact Resistance





GENTAŞ OPERATIONAL MEASURES FOR IMPROVEMENT OF **ENVIRONMENTAL PERFORMANCES**

The production process of "GENTAŞ" laminates has been adapted to the environment thematic.

New and strict regulations had been adopted to ensure a continuous improvement of the environmental perfarmances.

The purity of the air and of the water is being efficiently protected in the production department area.

All the gases from the impregnation and pressing machinery are absorbed and eliminated in a special steam boiler. This important process is controlled by our Technical Manager and supervised by government authorities.

The residues resulting from the production are efficiently treated in the

As another part of GENTAŞ care for the environment, all the raw material used far the production of the laminates are purchased only from suppliers who are in environmental perfarmances needed. possession of ISO 9002 and Kraft papers only from FSC certificated producers. Our Kraft paper contains an important percentage of recycled paper (around 20%) and our decorative papers do not contain any of the following

- -Cadmium
- -Chrome Hexavalent
- -Lead
- -Mercury
- -Polybrominated Biphenils (PBB)
- Polybrominated Diphenylether (PBDE)

No efforts will be spared by GENTAŞ to continue the implementation of all the necessary actions to achieve the best

We are a Fsc certified laminate producer.


We added respect to the nature to the quality of our products. FSC had certified that our laminate products has been manufactured from the sustainable managed resources and submitted far your use.




EBC PANELS

G-Ext EBC exterior decorative panels are produced by pressing impregnated kraft papers together with decorative papers which are EBC (Electron Beam Curing) treated.

G-Ext EBC panels are suitable for horizontal and vertical usage







25687




25685





25686
























24531


Size: 1300x2800mm / 1300x3050mm Size: 1300x2800mm / 1300x3050mm





















24390



24391



24392


 Size:
 1300x2800mm / 1300x3050mm
 Size:
 1300x2800mm / 1300x3050mm







25629



25630




25678





 Size:
 1300x2800mm / 1300x3050mm
 Size:
 1300x2800mm / 1300x3050mm

















 Size:
 1300x2800mm / 1300x3050mm
 Size:
 1300x2800mm / 1300x3050mm
 19










G-Uv+ PANELS


G-Ext UV+ exterior decorative compact panels produced with HPL production technique. The surface layer of the G-Ext UV + compact panels has been specially treating and extra reinforcing.

G-Ext UV+ panels are suitable for vertical usage


























 Size:
 1300x2800mm / 1300x3050mm
 Size:
 1300x2800mm / 1300x3050mm
 27

























Available as 1860x4200 mm



Available as 1860x4200 mm









Available as 1860x4200 mm















4572 Available as 1860x4200 mm

















4273



4274 Available as 1860x4200 mm





4290 Available as 1860x4200 mm



4292 Available as 1860x4200 mm

42 Size: 1300x2800mm / 1300x3050mm Size: 1300x2800mm / 1300x3050mm 43

























4509



Size: 1300x2800mm / 1300x3050mm Size: 1300x2800mm / 1300x3050mm 48 49









Available as 1860x4200 mm



 Size: 1300x2800mm / 1300x3050mm
 Size: 1300x2800mm / 1300x3050mm
 51











4631 4570 4666

Available as 1860x4200 mm









4565 Available as 1860x4200 mm

 Size:
 1300x2800mm / 1300x3050mm
 Size:
 1300x2800mm / 1300x3050mm
 55

















Size: 1300x2800mm / 1300x3050mm Size: 1300x2800mm / 1300x3050mm













Available as 1860x4200 mm



Available as 1860x4200 mm



 Size: 1300x2800mm / 1300x3050mm
 Size: 1300x2800mm / 1300x3050mm
 Size: 1300x2800mm / 1300x3050mm













 Size: 1300x2800mm / 1300x3050mm
 Size: 1300x2800mm / 1300x3050mm
 5ize: 1300x2800mm / 1300x3050mm

















 Size: 1300x2800mm / 1300x3050mm
 Size: 1300x2800mm / 1300x3050mm
 65

















 Size: 1300x2800mm / 1300x3050mm
 Size: 1300x2800mm / 1300x3050mm
 Size: 1300x2800mm / 1300x3050mm






























SURFACE DIMENSION CHART NUMERICAL LISTING



| | 1300x2800mm / 1300x3050mm | | | | |
|-----|---------------------------|-----|--------|---------------|------|
| | | EXT | ALPINE | GRANITE STONE | PAGE |
| | 24241 | X | | | 19 |
| | 24248 | X | | | 18 |
| | 24279 | Χ | | | 18 |
| | 24290 | X | | | 17 |
| | 24292 | Χ | | | 17 |
| EBC | 24389 | X | | | 15 |
| | 24390 | Χ | | | 13 |
| | 24391 | X | | | 13 |
| | 24392 | Χ | | | 13 |
| | 24399 | X | | | 20 |
| | 24525 | X | | | 20 |

| | 1300x2800mm / 1300x3050mm | | | | |
|-----|---------------------------|-----|--------|---------------|------|
| | | EXT | ALPINE | GRANITE STONE | PAGE |
| | 24530 | X | | | 12 |
| | 24531 | X | | | 9 |
| | 24532 | Х | | | 12 |
| | 24533 | Х | | | 10 |
| | 24534 | X | | | 10 |
| | 24535 | Х | | | 10 |
| EBC | 24657 | X | | | 19 |
| _ | 24658 | Х | | | 8 |
| | 24659 | X | | | 8 |
| | 25628 | | X | | 15 |
| | 25629 | | X | | 14 |
| | 25630 | | X | | 14 |
| | | | | | |

| | 1300x2800mm / 1300x3050mm | | | | |
|-----|---------------------------|-----|--------|---------------|------|
| | | EXT | ALPINE | GRANITE STONE | PAGE |
| | 25678 | | | X | 14 |
| | 25683 | | | X | 7 |
| | 25685 | Χ | | | 5 |
| EBC | 25686 | X | | | 5 |
| | 25687 | Х | | | 5 |
| | 25689 | | | X | 6 |
| | 25690 | | | X | 6 |

| | 1300x28 | 800mm / 1300x3050mm | |
|------|--------------|---------------------|----------|
| | | VELUR - ESSE | PAGE |
| | 3096 | X | 23 |
| | 3097 | X | 23 |
| | 3103 | X | 23 |
| | 3104 | X | 26 |
| | 3105 | X | 23 |
| | 3106 | X | 23 |
| | 3107 | X | 23 |
| | 3116 | X | 30 |
| | 3126 | X | 30 |
| | 3127 | Х | 29 |
| | 3131 | X | 27 |
| | 3134 | Х | 32 |
| | 3137 | X | 27 |
| | 3140 | X | 29 |
| | 3145 | X | 32 |
| | 3148 | Х | 26 |
| | 3150 | X | 23 |
| | 3151 | Х | 23 |
| | 3153 | X | 24 |
| G-Uv | 3155 | X | 24 |
| 9 | 3156 | X | 24 |
| | 3158 | X | 30 |
| | 3159 | X | 24 |
| | 3163 | X | 26 |
| | 3164 | X | 30 |
| | 3167 | X | 26 |
| | 3168 | X | 24 |
| | 3169 | X | 32 |
| | 3190 | X | 24 |
| | 3195 | X | 23 |
| | 3238 | X | 29 |
| | 3239 | X | 24 |
| | 3240 | X | 24 |
| | 3242 | X | 30 |
| | 3245 | X | 30 |
| | 3246 | X | 27 |
| | 3251 | | 26 |
| | 3252 | X | 26 |
| | 3253 | X | 26 |
| | 3260 | X | 24 |
| | 3262 | X | 27 |
| | 3274 3272 | X | 30 32 |
| | 3272 | X | 32 |
| | 3275 | X | 26 |
| | 3210 | ^ | 20 |

EBC: Electron Beam Curing Surface Technology G-Uv+: Special UV Film Surface Technology

SURFACE DIMENSION CHART NUMERICAL LISTING

SURFACE DIMENSION CHART NUMERICAL LISTING

| | | 1300x2800mm / 1300x3050m | m |
|----------|------|--------------------------|------|
| | | VELUR - ESSE | PAGE |
| | 3278 | X | 30 |
| | 3279 | Х | 32 |
| | 3281 | X | 27 |
| | 3282 | Х | 27 |
| | 3284 | X | 27 |
| | 3285 | X | 27 |
| | 3286 | X | 27 |
| | 3288 | X | 32 |
| | 3289 | X | 29 |
| | 3291 | X | 29 |
| | 3292 | X | 29 |
| | 3294 | X | 30 |
| | 3296 | X | 26 |
| | 3297 | X | 29 |
| | 3299 | X | 29 |
| | 3300 | X | 29 |
| | 4220 | X | 34 |
| | 4234 | X | 34 |
| ± | 4241 | X | 38 |
| G-Uv | 4248 | X | 39 |
| 9 | 4251 | X | 36 |
| | 4252 | X | 37 |
| | 4257 | X | 40 |
| | 4271 | X | 42 |
| | 4273 | X | 42 |
| | 4274 | X | 42 |
| | 4290 | X | 43 |
| | 4292 | X | 43 |
| | 4389 | X | 43 |
| | 4390 | X | 47 |
| | 4391 | X | 47 |
| | 4392 | X | 47 |
| | 4394 | X | 46 |
| | 4395 | X | 46 |
| | 4399 | X | 51 |
| | 4479 | X | 45 |
| | 4484 | X | 50 |
| | 4485 | X | 51 |
| | 4509 | X | 66 |
| | 4510 | X | 48 |
| | 4523 | X | 55 |
| | | | |

| | 1300 |)x2800mm / 1300x3050r | nm |
|------|--------------|-----------------------|----------|
| | | VELUR - ESSE | PAGE |
| | 4525 | Χ | 59 |
| | 4530 | X | 46 |
| | 4565 | X | 55 |
| | 4570 | Х | 53 |
| | 4572 | X | 39 |
| | 4583 | X | 65 |
| | 4584 | X | 58 |
| | 4597 | X | 50 |
| | 4598 | X | 50 |
| | 4614 | X | 59 |
| | 4626 | X | 57 |
| | 4627 | X | 57 |
| | 4628 | X | 56 |
| | 4631 | X | 53 |
| | 4632 | X | 65 |
| | 4655 | X | 58 |
| | 4656 | X | 41 |
| | 4657 | X | 58 |
| G-Uv | 4662 | X | 65 |
| 9 | 4666 | X | 53 |
| | 5419 | X | 68 |
| | 5450 | Х | 75 |
| | 5544 | X | 60 |
| | 5576 | X | 60 |
| | 5628 | X | 61 |
| | 5629 | X | 73 |
| | 5630 | X | 73 |
| | 5634 | X | 64 |
| | 5635 | X | 64 |
| | 5638 | X | 66 74 |
| | 5644 | X | 62 |
| | 5646 | X | 56 |
| | 5649 | X | 64 |
| | 5662 | X | 69 |
| | 5663 | X | 56 |
| | 5672 | X | 62 |
| | 5677 | X | 59 |
| | 5678 5686 | X | 62 |
| | 5687 | X | 73 |
| | 5689 | X | 74 |
| | 5690 | X | 74 |
| | 5702 | X | 71 |
| | 5742 | X | 68 |
| | 2410 | ^ | 00 |

| | | 1860x4200mm | |
|----------|------|-------------|------|
| | | VELUR | PAGE |
| | 3097 | X | 23 |
| | 3103 | X | 23 |
| | 3104 | Χ | 26 |
| | 3105 | X | 23 |
| + | 3106 | Χ | 23 |
| G-Uv | 3107 | X | 23 |
| ڧ | 3151 | X | 23 |
| | 3153 | X | 24 |
| | 3155 | X | 24 |
| | 3156 | X | 24 |
| | 3190 | Χ | 24 |
| | | | |

| | | 1860x4200mm | |
|-------|------|-------------|----------|
| | | VELUR | PAGE |
| | 3240 | X | 24 |
| | 3253 | X | 26 |
| | 4220 | X | 34 34 |
| G-Uv+ | 4234 | X | 34 |
| , | 4251 | X | 36 |
| Ġ | 4274 | X | 42 |
| | 4290 | Χ | 43 |
| | 4292 | X | 43 |
| | 4394 | X | 46 |

| 1860x4200mm | | | | | |
|-------------|------|-------|------|--|--|
| | | VELUR | PAGE | | |
| | 4395 | Χ | 46 | | |
| | 4399 | X | 51 | | |
| ÷ | 4523 | Χ | 55 | | |
| | 4525 | X | 59 | | |
| | 4565 | X | 55 | | |
| G-Uv+ | 4572 | X | 39 | | |
| ڧ | 4583 | Χ | 65 | | |
| | 4598 | X | 50 | | |
| | 4614 | Χ | 59 | | |
| | 4666 | Χ | 53 | | |

Our Certificates























www.**g-ext**.com.tr

Exterior Decorative Panels

