

EDUCATION PRACTICES



CONTENTS

• Exterior	02
• Classrooms.....	03
• Libraries	10
• Laboratories	12
• Wet Area Applications	14
• Dining Hall	18
• Functional Areas	20

Exterior

Unique and Modern Exteriors with G-Ext®

G-Ext® decorative exterior panels are frequently preferred in exterior applications because they are extra resistant to all harsh weather conditions and direct sunlight, easy to shape, easy to process and easy to maintain. G-Ext® panels are always one step ahead of equivalent products with more than 200 decor options. Facades that push the limits of design in modern architectures, combined with the rich colour scale of G-Ext®, make your building unique from others. Unique facades are created with G-Ext® panels produced with "EBC (Electron Bombardment) and high-tech "UV+" coating options, which can only be applied by a few companies in the world. G-Ext®, a sustainable product, adds value to buildings as a health and environmentally friendly material that provides economy in the long term.



Water Repellent Surface



Ultra Resistance to Hot and Cold Transitions



Ultra Impact Resistance



Easy to Clean



Ultra Resistance to Dry Heat



Exceptional Colour Depth



Ultra Scratch and Abrasion Resistance



Ultra Chemical Resistance



Low Light Reflectivity



Fire Resistance



Classrooms

Durable Spaces with G-Com®

G-Com® compact laminate panels, which can be produced in 2 mm-25 mm thicknesses, more than 10 sizes, more than 500 colours and more than 30 surface combinations, are frequently preferred in the components of all educational buildings, especially toilet cabins, changing rooms and classrooms, with their easy-to-clean structure, high impact and abrasion resistance, high resistance to bacteria, water and moisture.



Water Repellent Surface



Ultra Resistance to Hot and Cold Transitions



Ultra Impact Resistance



Easy to Clean



Ultra Resistance to Dry Heat



Exceptional Colour Depth



Ultra Scratch and Abrasion Resistance



Ultra Chemical Resistance




Low Light Reflectivity



Food Sensitive Surfaces





You are Free in Design with G-Lam®


G-Lam®, which is produced in postforming and standard specifications with the latest techniques reached by laminate technology in the world, is frequently preferred in school applications, including kitchen and dining hall countertops, cabinet doors, doors, counters and decorative coatings with its increased abrasion resistance and hygienic structure.

G-Lam®, which can be produced in two different processes, HPL and CPL, in thicknesses of 0.30 mm - 1.20 mm, in rolls or plates with a wide range of size options, offers you unlimited design freedom with more than 500 colours and more than 30 surface combinations.



Stylish and Decorative Applications with Gentag Werzalit®

Gentaş Werzalit®, which does not require coating, paint, varnish or polish, saves labour and time with its easy-to-process structure. Gentaş Werzalit®, which is resistant to impacts, heat, cold, humidity, acids, insects and decay, is preferred in school applications, especially in areas such as wall and ceiling coverings, interior windowsills, sitting benches, school desks, with its functional and economical as well as stylish and decorative structure.




Natural Spaces with G-Pan®

Available in 8 mm, 18 mm, 25 mm and 30 mm thicknesses and in 2100x3600 mm dimensions, the melamine-coated panel G-Pan® combines the naturalness of wood with Gentaş quality thanks to its different surface shapes and decor alternatives. G-Pan® offers the need for melamine-coated chipboard and MDF by adding thematic features to its products and providing cost advantage.

Aesthetic Advantages with G-Form®

G-Form®, which allows the plate to be shaped with its high technology and is preferred in doors, frames and general profiles, especially in areas requiring slopes and turns, can be produced in 6 mm or 8 mm thicknesses with various size options. G-Form®, a compact laminate with postforming feature, combines the aesthetic advantages of being able to create curves and shapes with the quality and practicality of Gentaş compact laminates with standard features.





Durable and Long Lasting G-Board®

G-Board®, which is frequently preferred in educational institutions, is used in the construction of white boards with its matt or glossy forms.

G-Board® with matt surface provides ease of writing and erasing thanks to the contrast created by using dry (dusty) chalk and can be produced in black, green and navy blue colours.

G-Board® with glossy surface can be produced in white, can be written with water-based ink pens, can be easily erased, easy to clean, durable and long-lasting.



Water Repellent Surface



Ultra Resistance to Hot and Cold Transitions



Ultra Impact Resistance



Easy to Clean



Ultra Resistance to Dry Heat



Exceptional Colour Depth




Ultra Scratch and Abrasion Resistance



Ultra Chemical Resistance



Low Light Reflectivity



G-Magnet with magnetic feature

G-Magnet, which is grouped under the G-Board brand, can be produced in 1220x2440mm size on glossy surface; In addition to the features such as durability and longevity of G-Board, the metal under its surface Thanks to its layer, it allows magnetised materials to adhere to its surface. In this way, both the white board G-Magnet, which you can use both as a magnet and by attaching your documents to it like a board; It is preferred in educational institutions, marking-promotion boards and all applications where magnetic materials should be present on the ground.

Libraries

You are Free in Design with G-Lam®

G-Lam®, which can be produced in postforming and standard specifications with the latest techniques reached by laminate technology in the world, is frequently preferred in school applications, including kitchen and dining hall countertops, cabinet doors, doors, counters and decorative coatings with its increased abrasion resistance and hygienic structure.

G-Lam®, which can be produced in two different processes, HPL and CPL, in thicknesses of 0.30 mm - 1.20 mm, in rolls or slabs with a wide variety of size options, offers you unlimited design freedom with more than 500 colours and more than 30 surface combinations.



Ultra Resistance
to Dry Heat



Ultra Impact
Resistance



Ultra Scratch and
Abrasion Resistance



Water Repellent
Surface



Exceptional
Colour Depth




Easy
to Clean



Low Light
Reflectivity



Ultra
Chemical Resistance





Laboratories

G-Lab® Resists Chemicals

G-Lab®, which is extra resistant to chemicals thanks to its special surface produced using advanced technology, is not affected by strong organic solvents, acids, bases and salts. G-Lab® is highly resistant to disinfecting and cleaning materials such as hydrochloric acid, ethyl alcohol, hydrogen peroxide, phenol, nitric acid, sodium hydroxide, potassium hydroxide such as ammonium hydroxide; It is preferred as a highly suitable product for use as a bench in chemistry, biology, pharmacy, radiology, physics, cosmetics, botany and food industry laboratories.



Ultra Resistance to Dry Heat



Ultra Impact Resistance



Ultra Scratch and Abrasion Resistance



Water Repellent Surface



Exceptional Colour Depth



Easy to Clean



Low Light Reflectivity



Ultra Chemical Resistance



Ultra Resistance to Hot and Cold Transitions





Wet Area Applications

No Leakage with Neogen

With Neogen, which is a non-porous, hygienic and low-maintenance material for all surfaces, all colour and pattern appearances of granite, marble, natural stone and similar products can be easily obtained. Thanks to its heat-formable feature, Neogen allows you to easily realise your designs.

Neogen, which has many usage areas thanks to its colour diversity and design flexibility, can be used as kitchen countertops, bathroom countertops and shower trays in living spaces. The product surface is optionally available in matt or glossy.

The biggest attraction of Neogen surfaces is their easy cleaning and impermeability. Thanks to acrylic washbasins that can be joined to the countertop surface without a gap, the areas formed for the collection of water and the reproduction of bacteria are eliminated.



Easy to Clean



Exceptional Colour Depth



Ultra Resistance to Hot and Cold Transitions



Water Repellent Surface



Ultra Resistance to Dry Heat



Ultra Impact Resistance



Anti Bacterial



Low Light Reflectivity



Resistance to Household Cleaning Chemicals



Ultra Scratch and Abrasion Resistance

G-Lam®

Neogen
Solid
Surface®



Water Repellent
Surface



to Hot and Cold Transitions
to Hot and Cold
Transitions



Ultra Impact
Resistance



Easy to
Clean



Ultra Resistance
to Dry Heat



Exceptional
Colour Depth



Ultra Scratch and
Abrasion Resistance



Ultra
Chemical Resistance



Low Light
Reflectivity



GENTAŞ
a touch to life

► **G-Com®**
Wet Area Applications

G-Com®



Anti-grafitti, durable surfaces

G-Com Anti Grafitti® has many mechanical properties such as high abrasion and scratch resistance, bending-bending strength, low thermal expansion coefficient, high electrical resistance. The most important feature that distinguishes the product from standard compact panels is that it has high resistance to a wide variety of paints, felt markers, markers and cleaners used in graffiti applications. G-Com Anti Grafitti®, thanks to its special surface properties, easily regains its first day appearance with many available cleaners such as materials used in daily housework.

Dining Halls

You are Free in Design with G-Lam®

G-Lam®, which can be produced in postforming and standard specifications with the latest techniques of laminate technology in the world, is frequently preferred in school applications, including kitchen and dining hall countertops, cabinet doors, doors, counters and decorative coatings with its increased abrasion resistance and hygienic structure.

G-Lam®, which can be produced in two different processes, HPL and CPL, in thicknesses of 0.30 mm - 1.20 mm, in rolls or slabs with a wide range of size options, offers you unlimited design freedom with more than 500 colours and more than 30 surface combinations.

Durable Spaces with G-Com®

G-Com® compact laminate panels, which can be produced in 2 mm - 25 mm thicknesses, more than 10 sizes, more than 500 colours and more than 30 surface combinations, are frequently preferred in the components of all educational buildings, especially toilet cabins, changing rooms and classrooms, with their easy-to-clean structure, high impact and abrasion resistance, high resistance to bacteria, water and moisture.





Easy
to Clean



Exceptional
Colour Depth



Ultra Resistance
to Hot and Cold
Transitions



Water Repellent
Surface



Ultra Resistance
to Dry Heat



Ultra Impact
Resistance



Anti
Bacterial



Low Light
Reflectivity



Resistance to
Household Cleaning
Chemicals



Ultra Scratch
and Abrasion
Resistance



Functional Areas

Saving is in Your Hands with G-Microflex®

G-Flex®, which can be produced in 0.20 mm thickness and is preferred especially in sharp and inclined angles that require turning, in doors, frames and general profiles, provides you savings in paint and coating costs by minimising labour costs and time spent thanks to its strong surface properties.

Zero® with High Surface Technology

Fingerprints thanks to high surface technology Zero®, which does not leave any scratches, scratches and abrasions resistant, water repellent, easy to clean, smooth and its soft surface makes a difference in every area where it is applied. Suitable for contact with food, Zero® is suitable for all is often preferred in applications.



U_rcp Pncjclr
Qspd_ac



Ultra Scratch
and Abrasion
Resistance



Ultra Uv
Pcggqr_lac



Antistatic



Low Light
Reflectivity



Easy
to Clean



Ultra Resistance
to Hot and Cold
Transitions



Thermal Repair
of Micro
Scratches



Ultra Impact
Resistance



Resistance to
Household Cleaning
Chemicals



Leaves No
Fingerprints



Ultra Resistance
to Dry Heat



Soft
Touch



Anti
Bacterial



Exceptional
Colour Depth




Suitable for
Food Contact



Ultra Matte
Surface





GENTAS
a touch to life

► **G-Lam® / G-Solo®**
Functional Areas

G-Lam®

G-Solo®

You are Free in Design with G-Lam®

G-Lam®, which can be produced in postforming and standard specifications with the latest techniques reached by laminate technology in the world, is frequently preferred in school applications, including kitchen and dining hall countertops, cabinet doors, doors, counters and decorative coatings with its increased abrasion resistance and hygienic structure.

G-Lam®, which can be produced in two different processes, HPL and CPL, in thicknesses of 0.30 mm - 1.20 mm, in rolls or slabs with a wide variety of size options, offers you unlimited design freedom with more than 500 colours and more than 30 surface combinations.

G-Solo® eliminates colour differences

G-Solo®, which can be produced in a single colour from the surface to the centre, stands out by leaving many other compact products behind with the elimination of different colours that may occur at the edges and joints during processing.

Certificates

ISEGA



CE





GENTAS
a touch to life



Gentaş Dekoratif Yüzeyler
Sanayi ve Ticaret A.Ş.

Siteler, Dolanlı Caddesi No:21
06360 Altındağ-ANKARA / TÜRKİYE

T: +90 312 353 02 06 (pbx)
F: +90 312 348 78 67

www.gentas.com.tr
info@gentas.com.tr

