



# HOTEL APPLICATIONS






# **Unique Exteriors with G-Ext®**

G-Ext® decorative exterior panels are extra strong against all extreme weather conditions and direct sunlight. G-Ext® is highly preferred in exterior facade applications thanks to its easy forming, processing and applying together with other exterior materials. G-Ext®panels are always one step ahead from equivalent products with its color option as well as many technical features such as containing asbestos, chlorite and toxic substances, easy cleaning, high resistance to impact and mechanical pressures, abrasion and cracking, fire and color stabilization.





# Doors and Corridor Applications

#### You Are Free in Design with G Lam®!

G-Lam, which can be produced in postforming and standard features with the latest techniques reached by laminate technology in the world, is one of the most preferred products in door and corridor applications with its unlimited color and surface options, and with its increased abrasion resistance and hygienic structure.


# **Flexibility Meets Laminate!**


GFlex® is a flexible laminate which is used in different application systems such as doors, door frames and floor profiles. It is recommended for use in vertical surfaces, especially in areas where sharp turns are required.


#### **Durable Spaces with G-Com®!**

It's easy-to-clean structure, high impact and abrasion resistance, high resistance to bacteria, water and humidity are highly preferred in a wide variety of decor and door and corridor applications.
































# **Aesthetic Advantages with G-Form®**


G-Form®, which allows the plate to be shaped with its high technology and is preferred in doors, frames, columns and general profiles, especially in areas that require inclination and turning, can be produced in 6 mm or 8 mm thickness with various size options.





# **Durable Spaces with G-Com®**

You are free in your designs with G-Com®, which can be produced with unlimited color and surface combinations between 2 mm - 25 mm thicknesses with its solid compact structure and resistant surface to impacts.





# You Are Free in Design with G-Lam®!

G-Lam®, which can be produced in two different processes, HPL and CPL, in 0.30 mm - 1.20 mm thicknesses, in rolls or plates with different size options, offers you unlimited design freedom with more than 500 colors and more than 30 surface combinations.

#### Certificates

























